Marine Physical Laboratory

Autonomous Acoustic Source

William S. Hodgkiss

Supported by the Office of Naval Research Grant N00014-00-1-0377

Final Report

June 2002

DISTRIBUTION STATEMENT A
Approved for Public Release
Distribution Unlimited

University of California, San Diego Scripps Institution of Oceanography

20040809 094

	RT DOCUMENTA		Form Approved OMB No. 0704-0188
Public reporing burden for this collection gathering and maintaining the data nethis collection of information, including: Davis Hiphway Suite 1204 Arieston	n of information is estimated to average 1 ed ed, and completing and reviewing the suggestions for reducing this burden, to V	hour per response, including the time for re collection of information. Send comments re vashington Headquarters Services, Director	wiewing instructions, searching existing data sources, egarding this burden estimate or any other aspect of atte for information Operations and Reports, 1215 Jefferson Project (0704-0188), Washington, DC 20503.
1. Agency Use Only (Leave B	THE ELECT TOOL, AND TO THE OTHER OF MAILS	Date. 3. Report T	ype and Dates Covered. Report
4. Title and Subtitle.		<u> </u>	5. Funding Numbers.
Autonomous Acous	tic Source		N00014-00-1-0377
6. Author(s).			
William S. Hodgkiss			Project No. Task No.
7. Performing Monitoring Age	ency Names(s) and Address	(es).	8. Performing Organization
University of California, Marine Physical Labora Scripps Institution of Oc San Diego, California 9	tory ceanography		Report Number.
9. Sponsoring/Monitoring Ag	ency Name(s) and Address(es).	10. Sponsoring/Monitoring Agency
Office of Naval Researd Ballston Centre Tower (800 North Quincy Stree Arlington, VA 22217-56 Jeffrey Simmen, ONF	One et 660		10. Sponsoring/Monitoring Agency Report Number.
11. Supplementary Notes.			
12a. Distribution/Availability s	Statement. release; distribution	is unlimited.	12b. Distribution Code.
13. Abstract (Maximum 200) words).		
of underwater acoustic	propagation data. The m synthesis, power amp	system consists of a sur	abricated for use in the collection face buoy which provides battery ol, and wireless local area
			·
	-		
	waveform synthesis, p	ower amplification, syste	m 15. Number of Pages.
control		-	16. Price Code.
17. Security Classification of Report.	18. Security Classification	19. Security Classification	20. Limitation of Abstract.
Unclassified	of This Page. Unclassified	of Abstract Unclassified	None

DURIP: Autonomous Acoustic Source

W.S. Hodgkiss

Marine Physical Laboratory Scripps Institution of Oceanography La Jolla CA 92093-0701

Abstract

An autonomous acoustic source buoy system has been designed and fabricated for use in the collection of underwater acoustic propagation data. The system consists of a surface buoy which provides battery power, signal waveform synthesis, power amplification, system control, and wireless local area network (WLAN) communications.

Hardware Summary

The hardware components for the autonomous acoustic source system were acquired under three fabrications: (1) Buoy Mechanical/Structural Assembly, (2) Waveform Generation/Amplification, Communications, and Power Distribution Electronics, and (3) Shipboard Control Computer/Communications. The following sections will describe each of these in detail.

A. Surface Buoy and Battery Pack

The surface buoy provides flotation for the large battery pack as well as a mounting platform for the system control computer, GPS antenna for time code, 460 MHz antenna for a UHF radio modem, and 2.4 GHz antenna for the wireless local area network (WLAN) providing connectivity to the ship (see Fig.1 - taken of an identical buoy fabricated for a separate project). The buoy is a polyethylene foam float with a polyurethane outer jacket. It weighs 3375 lbs of which 1750 lbs is the battery pack. The battery pack consists of a rack of 32, 12 volt, 65 AH gel-cell batteries wired in series to provide 384 volts DC for the underwater pressure case (see Fig. 2). The rack fits inside an anodized aluminum tank which is surrounded by the foam float. The power amplifiers are mounted on the underside of the lid to the tank. On top of the tank is a waterproof box containing the card cage for the waveform synthesis and system control computer. A tripod rises 21' above the buoy to provide a mounting for the GPS, 460 MHz, and 2.4 GHz antennas. Below the buoy is a 10' section of TV tower with 200 lbs of weight on the bottom for stability. Lastly, an acoustic release for the buoy mooring and RF-beacon/flasher for locating the buoy have been included.

B. Waveform Synthesis, Power Amplification, System Control, and Communications

Waveform synthesis is carried out by a compact PCI (peripheral control interconnect) chasis with a Pentium-III 600 MHz CPU running Windows NT, a National Instruments PXI-6713 D/A for generating multiple analog waveforms, and a National Instruments PXI-6052E A/D for collecting monitor hydrophone data. Data storage is provided by IDE, 30 GB, 2.5" disk drives. All waveform synthesis, D/A, and A/D functions are carried out in LabVIEW.

Power amplification is provided by a 5-channel, Instruments Inc., switching power amplifier. Thus, as many as 5 separate transducers can be controlled from the buoy at the same time.

The system control computer consists of a compact PCI chassis with a Pentium-II 450 MHz CPU running Windows NT, a National PXI-6071E A/D for collecting ancillary time series data from a variety of environmental and motion sensors on the buoy, a GPS time code interface for synchronization to GPS time (Bancom BC637 CPCI), and an interface for the wireless local area network. Data storage is provided by IDE, 30 GB, 2.5" disk drives. In addition, the control electronics package includes a 460 MHz UHF radio modem and a Persistor CF1microcontroller for secondary control. All control functions are carried out in LabVIEW.

Primary communications with the buoy are provided by a 2.4 GHz, direct sequence spread-spectrum (DSSS), wireless local area network (WLAN) (Lucent WaveLAN 802.11). The desktop of the system control computer is operated remotely through the wireless LAN on the ship. The buoy has a simple 7 dBi omnidirectional antenna mounted at the top of the tripod (~25' off the sea surface) while the ship uses directional antennas. Amplifiers on the buoy and the ship provide 1 watt of transmit power, up to 30 dB of gain on receive, and bandpass filtering at 2.4 GHz. The amplifiers are placed as close as possible to the antennas to reduce the effects of cable losses during transmit. If the wireless LAN becomes inoperative, a backup serial link through the 460 MHz UHF radio modem provides a means to power down the pressure case and to reboot the system control computer.

C. Shipboard Control Computer and Communications

Although autonomous operation of the acoustic source system is one mode of operation, real-time communications with the hardware is essential for experiments where modification of the source transmission schedule or source waveforms themselves is necessary. Thus, a wireless local area network (WLAN) between the ship and system control computer on the surface buoy has been included in the design. The shipboard computer itself consists of a 1.2 GHz CPU and associated peripherals. In addition, a duplicate of the buoy communications hardware is located on the ship. These include the 2.4 GHz wireless local area network along with directional antennas (both Yagi and parabolic dish) for primary communications and the 460 MHz UHF radio modem for backup purposes.




Fig. 1. The surface buoy provides battery power, waveform synthesis, power amplification, system control, and wireless local area network (WLAN) connectivity.




Fig. 2. The battery rack holds 32 batteries and fits inside an aluminum anodized tank surrounded by the foam float.

Fund Ы

32972A N00014-00-1-0377 HODGKISS 13% 9/01

Hodgkiss, William S.

Agency

OFFICE OF NAVAL RESEARCH (ONR)

Grant Number N00014-00-1-0377 **Funding Amount**

\$

117,918.00

Grant Dates 03/01/2000-09/30/2001

Budget Dates 03/01/2000-09/30/2001

Overhead Rate M130FG MODIFIED-FEDERAL-GRANT-13.0%

'Total Salaries and Benefits

11,820.83

Total Supplies & Expenses

5,240.01

index	Acct	Document	Date	Description	Doc. Ref.	Expense
MPLWH44	649610	72382483	11/2/00	INSTRUMENTS, INC 0000	003952 10185697	26,937.50
MPLWH44	649610	72516797	7/27/01	DATUM TT&M 00BEV	/2928 10198736	483.00
MPLWH44	649610	72516797			/2928 10198736	6,440.00
MPLWH44	649610	72495926		SBS EMBEDDED COMPUTERS	0001(10198737	280.35
MPLWH44	649610	72495923	6/19/01	SBS EMBEDDED COMPUTERS	0001(10198737	3,743.60
MPLWH44	649610	72483220	5/29/01	MICROLAND ELECTRONICS	07046810198805	186.00
MPLWH44	649610	72483220	5/29/01	MICROLAND ELECTRONICS	07046810198805	2,480.01
MPLWH44	649610	72487186	6/5/01	NATIONAL INSTRUMENTS COF		1,930.17
MPLWH44	649610	72487186	6/5/01	NATIONAL INSTRUMENTS COF	IP 0008 10 1988 0 6	2,123.66
MPLWH44	649610	72499189	6/23/01	MODULAR COMPUTERS, INC.	00001(10198807	165.75
MPLWH44	649610	72499189		MODULAR COMPUTERS, INC.		2,210.00
MPLWH44	649610	72549343			05608€10203708	165.00
MPLWH44	649610	72549343	10/8/01		05608€10203708	2,200.00
MPLWH44	649610	72435295	2/22/01	VICOR CORPORATION 00	05609£2A792109	1,853.30
MPLWH44	649610	72443410	3/8/01	Rose Industries, Inc. 000060	0092 2A792113	20.78
MPLWH44	649610	72443410	3/8/01	Rose Industries, Inc. 000060	0092 2A792113	277.03
MPLWH44	649610	72476330	5/15/01	ONE STOP SYSTEMS 000	0003662A792118	1,273.88
MPLWH44	649610	72484735	5/31/01		0003732A792122	768.63
MPLWH44	649610	72487502	6/5/01		00020{2A792123	164.48
MPLWH44	649610	72487502	6/5/01		00020£2A792123	2,193.00
MPLWH44	649610	72518469	7/31/01	PC CONNECTION SALES CORP	O 03162A792124	33.29
MPLWH44	649610	72518469		PC CONNECTION SALES CORP		443.85
MPLWH44	649610	72481860		TELEDESIGN SYSTEMS, INC. 0		1,453.83
MPLWH44	649610	72509095			0582222A844933	726.70
MPLWH44	649610	72510025	7/13/01		0582292A844933	10.95
MPLWH44	649610	72510025	7/13/01		0582292A844933	149.85
MPLWH44	649610	72436410	2/26/01	Sorensen, 00S2615		1,531.88
MPLWH44	649610	72438719	2/28/01	Sorensen, 00S2617		1,531.88
MPLWH44	649610	72487032	6/5/01	PERSISTOR INSTRUMENTS INC		86.25
MPLWH44	649610	72487032		PERSISTOR INSTRUMENTS INC		1,150.00
MPLWH44	649610	72537150			/3518 2A848911	75.00
MPLWH44	649610	72537150	9/10/01		/3518 2A848911	1,000.00
MPLWH44	649610	72544318	9/27/01	*	04072 2A848916	537.50
MPLWH44	649610	72547226		•	6834 2A848917	192.53
MPLWH44	649610	72439507		Sorensen, 00S2618		1,531.88
MPLWH44	649610	72443293	3/8/01	Sorensen, 00S2620	74 2A892083	1,531.88
Total Fabrica	ition of Auto	nomous Acoust	tic Source W	aveform Generation/Amplificat	ion	2,2000
	Communic	cations, & Powe	r Distribution	n Electronics		67,883.41

MPLWH44	649610	72382972	11/3/00 Gilman Corporation 000010429 10190346	5,047.00
MPLWH44	649610	72429797	2/12/01 Novatech Designs Limited 0000110310194435	58.05
MPLWH44	649610	72429797	2/12/01 Novatech Designs Limited 0000110310194435	774.00
MPLWH44	649610	72468674	4/27/01 EdgeTech 000123817 10194469	337.50
MPLWH44	649610	72468674	4/27/01 EdgeTech 000123817 10194469	4,500.00
MPLWH44	649610	72468212	4/27/01 POWERSTRIDE BATTERY 00U416(10195303	4,160.68
MPLWH44	649610	FRMPLD39	6/30/01 MPL SHOP LABOR RECHARGE 01A66.12	897.00
MPLWH46	649610	NEMPLAAC	8/30/01 ENPET EARLE M JORGENSEN CO 6/2A824062	113.78
MPLWH46	649610	NEMPLAAC	8/30/01 ENPET EARLE M JORGENSEN CO 6/2A824062	1,468.12
MPLWH46	649610	NEMPLAAC	8/30/01 ENPET ALL METALS PROCESSING OF 2A845858	116.25
MPLWH46	649610	NEMPLAAC	8/30/01 ENPET ALL METALS PROCESSING OF 2A845858	1,500.00
MPLWH46	649610	NEMPLAAC	8/30/01 ENPET EARLE M JORGENSEN CO 1 2A853409	171.41
.MPLWH46	649610	NEMPLAAC	8/30/01 ENPET EARLE M JORGENSEN CO 1:2A853409	
MPLWH46	649610	NEMPLAAC	8/30/01 ENPET EARLE M JORGENSEN CO 6/2A853409	13.28
MPLWH46	649610	NEMPLAAC	8/30/01 ENPET EARLE M JORGENSEN CO 6/2A853409	50.17
MPLWH46	649610	NEMPLAAC	8/30/01 ENPET ADVANCED METAL FORMING, 12A853411	647.40
MPLWH46	649610	NEMPLAAC	8/30/01 ENPET ADVANCED METAL FORMING, I 2A853411	527.98 (37.98)
MPLWH46	649610	NEMPLAAC	8/30/01 ENPET COAST ALUMINUM 000 2A853412	(/
MPLWH46	649610	NEMPLAAC	8/30/01 ENPET COAST ALUMINUM 000 2A853412	18.34
MPLWH46	649610	NEMPLAAC	8/30/01 ENPET TALLEY COMMUNICATIONS CO 2A853412	236.60
MPLWH44	649610	72582195	12/13/01 PACIFIC RIGGING LOFT, INC 000054672A870722	244.76
MPLWH44	649610	72502997	6/28/01 MCMASTER-CARR SUPPLY COMP 043:2A882134	7.0.95
MPLWH44	649610	NIMPLAAZ	8/30/01 ENPET MCMASTER-CARR SUPPLY CON 2A882134	234.93
MPLWH46	649610	NEMPLAAC	8/30/01 ENPET A & R INDUSTRIAL SUPPLY 0(2R853456	(155.49)
MPLWH46	649610	NEMPLAAC	8/30/01 ENPET HIXSON METAL FINISHING 002R853582	186.19
MPLWH46	649610	NEMPLAAC	8/30/01 ENPET HIXSON METAL FINISHING 002R853582	100.00
MPLWH44	649610	FRMPLD29	10/31/00 MPL SHOP LABOR RECHARGE FAB 530	100.00
MPLWH44	649610	FRMPLE34	2/28/01 MPL SHOP MATERIAL RECHARGE FAB 530	92.00
MPLWH44	649610	FRMPLE35	3/31/01 MPL SHOP MATERIAL RECHARGE FAB 530	110.60 152.01
MPLWH44	649610	FRMPLE36	4/30/01 MPL SHOP MATERIAL RECHARGE - STO FAB 530	(152.01)
MPLWH44	649610	FRMPLE36	4/30/01 MPL SHOP MATERIAL RECHARGE - STO FAB 530	157.08
MPLWH44	649610	FRMPLD38	5/31/01 MPL SHOP LABOR RECHARGE - MAY 0 FAB 530	184.00
MPLWH44	649610	FRMPLE37	5/31/01 MPL SHOP MATERIAL RECHARGE - MA FAB 530	1,510.35
MPLWH44	649610	FRMPLE39	6/30/01 MPL SHOP MATERIAL RECHARGE FAB 530	1,310.33
MPLWH44	649610	FRMPLD42	8/31/01 MPL SHOP LABOR RECHARGE ADJUSTA FAB 530	(345.00)
MPLWH44	649610	FRMPLD42	8/31/01 MPL SHOP LABOR RECHARGE ADJUSTN FAB 530	1,069.50
MPLWH44	649610	FRMPLE42	8/31/01 MPLSHOP SUPPLY RCHG FAB 530	1,009.30
MPLWH44	649610	FRMPLE42	8/31/01 MPL SHOP SUPPLY RCHG FAB 530	268.75
MPLWH46	649610	FRMPLD42	8/31/01 MPL SHOP LABOR RECHARGE FAB 530	1,564.00
MPLWH46	649610	FRMPLD42	8/31/01 MPL SHOP LABOR RECHARGE - ALFAN(FAB 530	2,120.75
MPLWH46	649610	FRMPLD42	8/31/01 MPL SHOP LABOR RECHARGE ADJUSTN FAB 530	10,718.00
MPLWH44	649610	FRMPLD43	9/30/01 MPL SHOP LABOR RECHARGE FAB 530	115.00
MPLWH44	649610	FRMPLD43	9/30/01 MPL SHOP LABOR RECHARGE FAB 530	7,107.00
MPLWH44	649610	FRMPLD43	9/30/01 MPL SHOP LABOR RECHARGE - ALFAN(FAB 530	133.88
MPLWH44	649610	FRMPLE43	9/30/01 MPL SHOP MATERIAL RECHARGE FAB 530	(80.81)
MPLWH44	649610	FRMPLE43	9/30/01 MPL SHOP MATERIAL RECHARGE FAB 530	(59.12)
MPLWH44	649610	FRMPLE43	9/30/01 MPL SHOP MATERIAL RECHARGE FAB 530	(26.38)
MPLWH44	649610	FRMPLE43	9/30/01 MPL SHOP MATERIAL RECHARGE FAB 530	(12.38)
MPLWH44	649610	FRMPLE43	9/30/01 MPL SHOP MATERIAL RECHARGE FAB 530	12.69
MPLWH44	649610	FRMPLE43	9/30/01 MPL SHOP MATERIAL RECHARGE FAB 530	27.25
MPLWH44	649610	FRMPLE43	9/30/01 MPL SHOP MATERIAL RECHARGE FAB 530	56.43
MPLWH44	649610	FRMPLE43	9/30/01 MPL SHOP MATERIAL RECHARGE FAB 530	75.00
MPLWH44	649610	FRMPLE43	9/30/01 MPL SHOP MATERIAL RECHARGE FAB 530	1.780.81
MPLWH44	649610	FRMPLE43	9/30/01 MPL SHOP MATERIAL RECHARGE FAB 530	211.46
MPLWH46	649610	FRMPLD43	9/30/01 MPL SHOP LABOR RECHARGE FAB 530	^92.00
MPLWH44	649610	FRMPLE44	10/31/01 MPL SHOP MATERIAL RECHARGE - ADJ FAB 530	10.70
MPLWH44	649610	FRMPLE52	3/31/02 MPL SHOP MATERIAL RECHARGE - ADJ FAB 530	(14.75)
				(17.70)

	Assembly	ustic Source Buoy Mechanical/Structural	47,126.77
MPLWH44	649610 72486868	6/5/01 ONE STOP SYSTEMS 0000037410198738	3,096.09
MPLWH44	649610 72483220		93.00
MPLWH44	649610 72483220	5/29/01 MICROLAND ELECTRONICS 07046810198805	1,239.99
MPLWH44	649610 72487186	6/5/01 NATIONAL INSTRUMENTS CORP 000£10198806	1,930.16
MPLWH44	649610 72499189	6/23/01 MODULAR COMPUTERS, INC. 00001(10198807	165.75
MPLWH44	649610 72499189		2,210.00
MPLWH44	649610 72488257	6/6/01 JENSEN TOOLS, INC. 279432700 2A792120	322.50
MPLWH44	649610 72500942	6/26/01 VICOR CORPORATION 000580182A792121	~30.75
MPLWH44	649610 72500942	6/26/01 VICOR CORPORATION 000580182A792121	410.00
MPLWH44 MPLWH44	649610 72482159	5/24/01 PC CONNECTION SALES CORPO 03142A844936	26.24
MPLWH44	649610 72482159	001427044300	349.85
,	649610 72481736	5/23/01 BEACON WORLDWIDE LLC 91000:2A844937	11.85
MPLWH44	649610 72481736	5/23/01 BEACON WORLDWIDE LLC 91000;2A844937	168.76
MPLWH44	649610 72523132	8/9/01 NEWARK ELECTRONICS 00391312A844938	′24.82
MPLWH44	649610 72523134	8/9/01 NEWARK ELECTRONICS 00391412A844938	17.00
MPLWH44	649610 72518468	7/31/01 PC CONNECTION SALES CORPO 03162A844941	59.62
APLWH44	649610 72518468	7/31/01 PC CONNECTION SALES CORPO 03162A844941	794.95
MPLWH44	649610 72486375	6/4/01 BEACON WORLDWIDE LLC 91000;2A844942	215.00
MPLWH44	649610 72494374	6/18/01 DATEL SYSTEMS 00SI77438 2A848907	1,499.63
MPLWH44	649610 72488951	6/7/01 PC CONNECTION INC 03150647-2A848908	~9.36
MPLWH44	649610 72488951	6/7/01 PC CONNECTION INC 03150647-2A848908	124.75
MPLWH44	649610 72434471	2/21/01 JENSEN TOOLS, INC. 2752734002A892077	611.68
MPLWH44	649610 72438996	3/1/01 JENSEN TOOLS, INC. 2755235002A892082	129.93
MPLWH44	649610 72438996	3/1/01 JENSEN TOOLS, INC. 2755235002A892082	399.00
Olai Fabrica	Communications	ustic Source Shipboard Control Computer/	13,840.68
			المام ا المام المام ال
OTAL EQUIP	MENT COSTS		128,850.86
TOTAL DIREC	T COSTS		145,911.70
			145,911.70
NDIRECT CO	STS 13% OF MTDC	·	2,217.91
			-,
TOTAL PROJE	CT COSTS		148,129.61
	CT COSTS 0376 AWARD		
N00014-00-1-			148,129.61
N00014-00-1-	0376 AWARD		148,129.61
100014-00-1-	0376 AWARD		148,129.61
100014-00-1-	0376 AWARD		148,129.61
00014-00-1-	0376 AWARD		148, 129.61 117, 918.00 30, 211.61
00014-00-1-	0376 AWARD		148,129.61
100014-00-1-	0376 AWARD		148, 129.61 117, 918.00 30, 211.61
100014-00-1-	0376 AWARD		148, 129.61 117, 918.00 30, 211.61
N00014-00-1-	0376 AWARD		148, 129.61 117, 918.00 30, 211.61
N00014-00-1-	0376 AWARD		148, 129.61 117, 918.00 30, 211.61
N00014-00-1-	0376 AWARD		148, 129.61 117, 918.00 30, 211.61
N00014-00-1-	0376 AWARD		148, 129.61 117, 918.00 30, 211.61
100014-00-1-	0376 AWARD		148, 129.61 117, 918.00 30, 211.61
00014-00-1-	0376 AWARD		148, 129.61 117, 918.00 30, 211.61

ONR/MPL REPORT DISTRIBUTION

Office of Naval Research (3)
Department of the Navy
Ballston Tower One
800 North Quincy Street
Arlington, VA 22217-5660
Atten: Jeffrey Simmen, ONR 3210A

Regional Director (1)
ONR Detachment
San Diego Regional Office
4520 Executive Drive, Suite 300
San Diego, CA 92121-3019

Commanding Officer (1) Naval Research Laboratory 4555 Overlook Avenue, S.W. Attn: Code 2627 Washington, D.C. 20375-5320

Defense Technical Information Center 8725 John J. Kingman Road Suite 0944 Ft. Belvoir, VA 22060-6218